Author Index

Abu-Elmagd, M.M., see Cheng, Y.-C. (121) 233

Ackerley, C., see Krunic, N. (121) 145 Adamson, S.L., see Krunic, N. (121) 145 Allen, N.D., see Kato, H. (121) 109

Andrews, P., Dovey, E., Hockaday, J., Hoyle, C.H.V., Woods, A.J. and Matsuki, N. The development of the emetic reflex in the house musk shrew, Suncus murinus (121) 29

Araki, T., see Nakai, A. (121) 67

Asakura, H., see Nakai, A. (121) 67
Auman, J.T., Seidler, F.J. and Slotkin, T.A.
Neonatal chlorpyrifos exposure targets
multiple proteins governing the
hepatic adenylyl cyclase signaling
cascade: implications for neurotoxicity
(121) 19

Bahi, N., see Sahir, N. (121) 213
Ban, Y. and Rizzolo, L.J.
Regulation of glucose transporters
during development of the retinal
pigment epithelium (121) 89

Barcellos, C.K., Bradley, P.M., Burns, B.D. and Webb, A.C. Effects of nitric oxide release in an area of the chick forebrain which is essential for early learning (121) 79

Bimonte, H.A., Mack, C.M., Stavnezer, A.J. and Denenberg, V.H. Ovarian hormones can organize the rat corpus callosum in adulthood (121) 169

Bradley, P.M., see Barcellos, C.K. (121) 79 Burns, B.D., see Barcellos, C.K. (121) 79

Carlson, E.J., see Vialard, F. (121) 73
Carpenter, D.O., see Hussain, R.J. (121) 243
Cheng, Y.-C., Cheung, M., Abu-Elmagd, M.M., Orme, A. and Scotting, P.J. Chick Sox10, a transcription factor expressed in both early neural crest cells and central nervous system (121) 233

Cheung, M., see Cheng, Y.-C. (121) 233
Coceani, F., see Krunic, N. (121) 145
Colella, R., Lu, C., Hodges, B., Wilkey, D.W. and Roisen, F.J.
GM1 enhances the association of neuron-specific MAP2 with actin in

MAP2-transfected 3T3 cells (121) 1

Crumpton, T.L., Seidler, F.J. and Slotkin, T.A. Is oxidative stress involved in the developmental neurotoxicity of chlorpyrifos? (121) 189

Cui, S. and Goldstein, R.S. Early markers of neuronal differentiation in DRG: Islet-1 expression precedes that of Hu (121) 209

Dam, K., Seidler, F.J. and Slotkin, T.A. Chlorpyrifos exposure during a critical neonatal period elicits genderselective deficits in the development of coordination skills and locomotor activity (121) 179

Denenberg, V.H., see Bimonte, H.A. (121) 169
Douhou, A., see Simon, A. (121) 113
Dovey, E., see Andrews, P. (121) 29
Drenhaus, U., Thomas, K. and Rager, G.
The course of later generated axons in the developing optic nerve of the chick embryo. A morphometric electron microscopic study (121) 35

Druse, M.J., see Eriksen, J.L. (121) 133

Emson, P.C., see Kato, H. (121) 109
Epstein, C.J., see Vialard, F. (121) 73
Eriksen, J.L., Gillespie, R.A. and Druse, M.J.
Effects of in utero ethanol exposure
and maternal treatment with a 5-HT_{1A}
agonist on \$100B-containing glial
cells (121) 133

Evrard, P., see Sahir, N. (121) 213

Ferguson, S.A. and Kennaway, D.J.

The ontogeny of induction of c-fos in the rat SCN by a 5-HT_{2A/2C} agonist (121) 229

Extracelydesic and the second secon

Fitzgerald, M., see Torsney, C. (121) 55 Frédéric, F., see Simon, A. (121) 113

Gillespie, R.A., see Eriksen, J.L. (121) 133 Goldstein, R.S., see Cui, S. (121) 209 Gressens, P., see Sahir, N. (121) 213

Heaton, M.B., Mitchell, J.J., Paiva, M. and Walker, D.W. Ethanol-induced alterations in the expression of neurotrophic factors in the developing rat central nervous system (121) 97 Hockaday, J., see Andrews, P. (121) 29
Hodges, B., see Colella, R. (121) 1
Horie, M., Miyashita, T., Watabe, K., Takeda, Y., Kawamura, K. and Kawano, H.
Immunohistochemical localization of substance P receptors in the midline glia of the developing rat medulla oblongata with special reference to the formation of raphe nuclei (121)

Hoyle, C.H.V., see Andrews, P. (121) 29 Hussain, R.J., Parsons, P.J. and Carpenter, D.O. Effects of lead on long-term potentiation in hippocampal CA3 vary with age (121) 243

Johnson, F. and Sellix, M.

Reorganization of a telencephalic
motor region during sexual
differentiation and vocal learning in
zebra finches (121) 253

Kato, H., Allen, N.D., Emson, P.C. and Kiyama, H. GAP-43 N-terminal translocation signal targets β-galactosidase to developing axons in a pan-neuronal transgenic mouse line (121) 109

Kawamura, K., see Horie, M. (121) 197
Kawano, H., see Horie, M. (121) 197
Kellogg, C.K., Yao, J. and Pleger, G.L.
Sex-specific effects of in utero manipulation of GABA, receptors on pre- and postnatal expression of BDNF in rats (121) 157

Kennaway, D.J., see Ferguson, S.A. (121) 229 Kiyama, H., see Kato, H. (121) 109 Koshino, T., see Nakai, A. (121) 67 Krunic, N., Adamson, S.L., Ackerley, C., Okita, R.T. and Coceani, F. Perinatal changes in choroidal 15-

Perinatal changes in choroidal 15hydroxyprostaglandin dehydrogenase: implications for prostaglandin removal from brain (121) 145

Lu, C., see Colella, R. (121) 1

Mack, C.M., see Bimonte, H.A. (121) 169
Martin-Martinelli, E., see Simon, A. (121) 113
Marunouchi, T., see Tanaka, M. (121) 223

Matsuki, N., see Andrews, P. (121) 29 Meredith-Middleton, J., see Torsney, C. (121) 55

Mitchell, J.J., see Heaton, M.B. (121) 97 Miyashita, T., see Horie, M. (121) 197 Momoi, T., see Tanaka, M. (121) 223

Nakai, A., Taniuchi, Y., Asakura, H., Oya, A., Yokota, A., Koshino, T. and Araki, T. Developmental changes in mitochondrial activity and energy metabolism in fetal and neonatal rat brain (121) 67

Nguyen-Legros, J., see Simon, A. (121) 113

Okita, R.T., see Krunic, N. (121) 145 Orme, A., see Cheng, Y.-C. (121) 233 Oya, A., see Nakai, A. (121) 67

Paiva, M., see Heaton, M.B. (121) 97 Parsons, P.J., see Hussain, R.J. (121) 243 Peng, Y.-I., see Shui, H.-A. (121) 123 Pleger, G.L., see Kellogg, C.K. (121) 157

Rager, G., see Drenhaus, U. (121) 35 Rahmani, Z., see Vialard, F. (121) 73 Raisman-Vozari, R., see Simon, A. (121) 113 Rizzolo, L.J., see Ban, Y. (121) 89 Roisen, F.J., see Colella, R. (121) 1 Ross, M.G., see Xu, Z. (121) 11

Sahir, N., Bahi, N., Evrard, P. and Gressens, P. Caffeine induces in vivo premature appearance of telencephalic vesicles (121) 213

Satoh, M. and Yoshida, T.

Expression of neural properties in olfactory cytokeratin-positive basal cell line (121) 219

Savy, C., see Simon, A. (121) 113

Schindler, C.J., Velíšková, J., Šlamberová, R. and Vathy, I. Prenatal morphine exposure alters susceptibility to bicuculline seizures in a sex- and age-specific manner.

in a sex- and age-specific manner (121) 119 Scotting, P.J., see Cheng, Y.-C. (121) 233

Seidler, F.J., see Auman, J.T. (121) 19 Seidler, F.J., see Crumpton, T.L. (121) 189

Seidler, F.J., see Dam, K. (121) 179 Sellix, M., see Johnson, F. (121) 253

Sellix, M., see Johnson, F. (121) 253
Shui, H.-A., Peng, Y.-I., Wu, R.-M. and Tsai,
Y.-F.

Evaluation of L-DOPA biotransformation during repeated L-DOPA infusion into the striatum in freely-moving young and old rats (121) 123

Simon, A., Savy, C., Martin-Martinelli, E., Douhou, A., Frédéric, F., Verney, C., Nguyen-Legros, J. and Raisman-Vozari, R.

Paradoxical increase of tyrosine hydroxylase-immunoreactive retinopetal fibers in the weaver mouse (121) 113

Sinet, P.-M., see Vialard, F. (121) 73 Šlamberová, R., see Schindler, C.J. (121) 119 Slotkin, T.A., see Auman, J.T. (121) 19 Slotkin, T.A., see Crumpton, T.L. (121) 189 Slotkin, T.A., see Dam, K. (121) 179 Stavnezer, A.J., see Bimonte, H.A. (121) 169

Takeda, Y., see Horie, M. (121) 197
Tanaka, M., Momoi, T. and Marunouchi, T.
In situ detection of activated caspase-3 in apoptotic granule neurons in the developing cerebellum in slice cultures and in vivo (121) 223
Taniuchi, Y., see Nakai, A. (121) 67

Thomas, K., see Drenhaus, U. (121) 35 Torsney, C., Meredith-Middleton, J. and Fitzgerald, M.

Neonatal capsaicin treatment prevents the normal postnatal withdrawal of A fibres from lamina II without affecting Fos responses to innocuous peripheral stimulation (121) 55

Toyama, K., see Vialard, F. (121) 73 Tsai, Y.-F., see Shui, H.-A. (121) 123

Vathy, I., see Schindler, C.J. (121) 119
Velíšková, J., see Schindler, C.J. (121) 119
Verney, C., see Simon, A. (121) 113
Vernoux, S., see Vialard, F. (121) 73
Vialard, F., Toyama, K., Vernoux, S., Carlson, E.J., Epstein, C.J., Sinet, P.-M. and Rahmani, Z.
Overexpression of mSim2 gene in the

Overexpression of mSim2 gene in the zona limitans of the diencephalon of segmental trisomy 16 Ts1Cje fetuses, a mouse model for trisomy 21: a novel whole-mount based RNA hybridization study (121) 73

Walker, D.W., see Heaton, M.B. (121) 97 Watabe, K., see Horie, M. (121) 197 Webb, A.C., see Barcellos, C.K. (121) 79 Wilkey, D.W., see Colella, R. (121) 1 Woods, A.J., see Andrews, P. (121) 29 Wu, R.-M., see Shui, H.-A. (121) 123

Xu, Z. and Ross, M.G. Appearance of central dipsogenic mechanisms induced by dehydration in near-term rat fetus (121) 11

Yao, J., see Kellogg, C.K. (121) 157 Yokota, A., see Nakai, A. (121) 67 Yoshida, T., see Satoh, M. (121) 219

